Ref #	Hits	Search Query	DBs	Default Operato r	Plural s	Time Stamp
L1	8	("session initiation protocol" sip) same dictionary with (dynamic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR .	ON	2007/08/28 19:58
L2	, 6	1 and (@rlad<"20030718" @pd<"20030718" @ad<"20030718")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR .	ON	2007/08/28
L3	1	(US-20040162032-\$).did.	US-PGPUB	OR .	ON	2007/08/28 19:14
L4	1	3 and ascii same sip	US-PGPUB	OR	ON	2007/08/28 ⁻ 19:14
L5	769	("session initiation protocol" sip) with stream	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/28 19:58
L6	413	5 and (@rlad<"20030718" @pd<"20030718" @ad<"20030718")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/28 19:58
L7	10	("session initiation protocol" sip) with stream same token\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON .	2007/08/28 20:16
L8	. 7	7 and (@rlad<"20030718" @pd<"20030718" @ad<"20030718")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/28 19:58
L9	6	(US-20040162032-\$).did. or (US-6807173-\$ or US-6985965-\$ or US-6707400-\$ or US-7010727-\$ or US-7143191-\$).did.	US-PGPUB; USPAT	OR	ON	2007/08/28 20:01
L10	0 .	9 and sniffer	US-PGPUB ; USPAT	OR .	ON	2007/08/28 20:01

			J	T	I 	1
L11		("session initiation protocol" sip) with stream same token\$5 same sniffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/28 20:16
L12	. 0	("session initiation protocol" sip) with stream with sniffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/28 20:19
L13	1	("session initiation protocol" sip) with sniffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/28 20:19
S1	1	("session initiation protocol" sip) and (tokenised tokenized) and (serializer serialiser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 17:05
S2	2	("session initiation protocol" sip) and (serializer serialiser) and token\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 16:31
S3	965	("session initiation protocol" sip) and token\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 16:53
S4	323	("session initiation protocol" sip) and token\$4 with (packet message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 16:33
S 5	· 5	("session initiation protocol" sip) and tokenized with (packet message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR .	ON	2007/08/17 16:32

	1		T	T		
S6	47	("session initiation protocol" sip) and token\$4 with (packet message) with (generat\$3 creat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR .	ON .	2007/08/17 16:45
S7	0	("session initiation protocol" sip) and token\$4 with (packet message) with (generat\$3 creat\$3) with (semantic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 16:34
S8	0	("session initiation protocol" sip) and token\$4 with (packet message) with (generat\$3 creat\$3) with (representation pointer data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 16:34
S9	1	("session initiation protocol" sip) and token\$4 with (packet message) with (generat\$3 creat\$3) with (list table bunch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 16:35
S10	5	S6 and (@pd<"20030718")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 16:46
S11		("session initiation protocol" sip) and tokens! with (packet message) with (generat\$3 creat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 16:36
S12	1	S6 and compress\$3 same tokens!	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 16:45
S13	6	S3 and compress\$3 same tokens!	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON .	2007./08/17 17:08

				,		T
S14	2	S13 and (@pd<"20030718")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 16:53
S15 .	283	("session initiation protocol" sip) and token\$4 and compress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 16:53
S16	73	S15 and (@pd<"20030718")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 16:53
S17	17	("session initiation protocol" sip) and token\$4 same compress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 16:54
S18	5	S17 and (@pd<"20030718")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 17:05
S19	15	("session initiation protocol" sip) and (tokenis\$3 tokeniz\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR ,	ON	2007/08/17 17:05
S20	3	S19 and (@pd<"20030718")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 17:05
S21	1	"intelligent messaging application programming interface".ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 17:17

S22	. 1	"intelligent messaging application".ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 17:09
S23	1	"tokenized compression". ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/17 17:17
S24	. 2	(US-20040162032-\$).did. or (US-6807173-\$).did.	US-PGPUB ; USPAT	OR	ON	2007/08/28 14:42
S25	1	S24 and dictionary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON `	2007/08/28 15:09
S26	2	S24 and text	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/28 15:09
S27		S24 and plain\$1text	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/28 15:09
S28	798	("session initiation protocol" sip) same (qos)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/28 18:53
S29	6	("session initiation protocol" sip) same (qos) with (statistic metric)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/28 17:35
S30	300	("session initiation protocol" sip) with (qos)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/28 17:35

S31	367	("session initiation protocol" sip) with (qos quality adj2 service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/08/28 17:35
S32	213	S31 and (@rlad<"20030718" @pd<"20030718" @ad<"20030718")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR .	ON	2007/08/28 18:54